



备件和组件



模组。 AB
HVLP

-
- Exploded view diagram of a microscope assembly. The diagram shows the following components and their assembly sequence from top to bottom:
- 1007-43**: A bracket grouping the top assembly components: **L** (lens), **1007-35** (lens housing), **N** (ring), **39** (ring), **1007-34** (ring), **38** (ring), **37** (ring), and **1007-47** (tube).
 - 1007-G15**: The main microscope body.
 - 1007-R1**: A ring component.
 - Q**: A small component.
 - P**: A small component.
 - 1002-10**: A ring component.
 - 1007-R1**: A ring component.
 - 1002-120**: A tube component.
 - 1007-46**: A small component.
 - 1002-107**: A small component.
 - 1002-106**: A small component.
 - 1002-6**: The base component.
- Additional components shown on the left side of the diagram:
- 1007-42**: A ring component.
 - 1007-28**: A ring component.
 - 1007-40**: A spring component.
 - 1007-101**: A ring component.
 - G**: A small component.
 - 1007-36**: A bracket grouping the bottom assembly components: **1007-101**, **G**, and **1072** (a long tube).

头部保护帽也可作为备件提供。对于与该型号兼容的头，您可以参考下面的 CNN 表。

模组。 AB HVLP-X

-
- This exploded view diagram illustrates the assembly of a medical device, possibly a syringe or a small pump. The components are arranged vertically, showing their relative positions and how they fit together. Key parts include:
- Top Assembly (1007-43):** A bracket groups the top components: L (a small ring), 1007-35 (a cylindrical component with a flange), N (another small ring), 39 (a small cap or plug), 38 (a small washer or spacer), 37 (a small O-ring or seal), and 1007-47 (a small cylindrical component).
 - Main Body (1002-G15):** The central cylindrical component with various ports and a handle.
 - Plunger and Piston Assembly:**
 - 1007-42:** A large, ribbed cylindrical component at the top of the plunger.
 - 1007-28:** A smaller, ribbed cylindrical component below 1007-42.
 - 1007-40:** A coiled spring.
 - 1007-101:** A component with a central pin and a flange.
 - 1007-36:** A bracket groups the 1007-101 and the component below it.
 - G:** A small O-ring or seal.
 - 1072:** A long, thin needle or plunger rod.
 - Bottom Assembly:**
 - 1002-10:** A small component below the main body.
 - 1007-R1-X:** A component with a flange and a central pin.
 - 1002-120-X:** A component with a flange and a central pin.
 - 1007-46-X:** A small component with a flange.
 - 1002-107:** A small component with a flange.
 - 1002-106:** A component with a flange and a central pin.
 - 1002-6:** A large, ribbed cylindrical component at the bottom.
 - Other Labels:** Q (a port on the main body), B (a gauge or indicator), and P (a small component near the bottom).

头部保护帽也可作为备件提供。对于与该型号兼容的头，您可以参考下面的 CNN 表。

它

兼容的 CNN

帽-喷嘴-针

模组。 AB HVLP、 AB HVLP-X

1002-106	帽	喷嘴	针
	1002-106-0.8	1002-107-0.8	1072-0.8
	1002-106-1.0	1002-107-1.0	1072-1.0
	1002-106-1.2	1002-107-1.2	1072-1.2
	1002-106-1.5	1002-107-1.5	1072-1.5



质量认证

认证

所有 AIRCOM® 产品均根据传输效率参数通过 UNI EN 13 966 - 1 (VDMA-Einheitsblatt 24 366) 标准认证。



三色插片

每把枪都标有三维、三色的印章。它代表了对真实性和意大利特色的进一步保证，因为它只存在于原装 AIRCOM® 手枪中。



支持

你需要帮助吗？

我们随时为您服务。




+39 0124 5154 44



aircom@aircom.it



在线支持





探索所有产品



跟着我们



航空网