



Spare parts and components




SPARE PARTS

DETAILS LIST

- 1007-2** [x1] Nozzle
- 1007-3** [x1] Ferrule
- 1007-7-B** [x2] Adjusting screw
- 1007-28** [x1] Cap
- 1007-30** [x1] Head
- 1056-31** [x1] Complete needle
- 1007-34** [x1] Gasket cover ring
- 1007-35** [x1] Valve
- 1007-36** [x1] Mounted plunger
- 37** [x1] Seeger
- 38** [x1] Gasket
- 39** [x1] Gasket
- 1007-40** [x1] Spring
- 1007-42** [x1] Mounted hand wheel
- 1007-43** [x1] Mounted valve
- 1007-46** [x1] Gasket kit
- 1007-47** [x1] Gasket kit
- 1007-101** [x1] Plunger
- B** [x2] Gasket
- G** [x1] Gasket
- 1008-G16** [x1] Body with internal bushing in brass, regulating valves and bracket block.
- L** [x2] Gasket
- N** [x2] Gasket
- 1007-R1** [x3] Junction

mod. BP



NOTES


The head protection stopper is also available as a spare part. You can refer to the CNN table below for compatible heads for your model.

SPARE PARTS

DETAILS LIST

- 1007-2 [x1] Nozzle
- 1007-3 [x1] Ferrule
- 1007-7-B [x2] Adjusting screw
- 1007-28 [x1] Cap
- 1007-30 [x1] Head
- 1056-31 [x1] Complete needle
- 1007-34 [x1] Gasket cover ring
- 1007-35 [x1] Valve
- 1007-36 [x1] Mounted plunger
- 37 [x1] Seeger
- 38 [x1] Gasket
- 39 [x1] Gasket
- 1007-40 [x1] Spring
- 1007-42 [x1] Mounted hand wheel
- 1007-43 [x1] Mounted valve
- 1007-46-X [x1] Stainless steel gasket kit
- 1007-47 [x1] Gasket kit
- 1007-101 [x1] Plunger
- B [x2] Gasket
- G [x1] Gasket
- 1008-G16-X [x1] Body with internal bushing in stainless steel, regulating valves and bracket block.
- L [x2] Gasket
- N [x2] Gasket
- 1007-R1-X [x3] Stainless steel junction

mod. BP-X



NOTES


The head protection stopper is also available as a spare part. You can refer to the CNN table below for compatible heads for your model.

SPARE PARTS

DETAILS LIST

- 1007-2** [x1] Nozzle
- 1007-3** [x1] Ferrule
- 1007-7-B** [x2] Adjusting screw
- 1007-28** [x1] Cap
- 1007-30-X** [x1] Stainless steel head
- 1056-31** [x1] Complete needle
- 1007-34** [x1] Gasket cover ring
- 1007-35** [x1] Valve
- 1007-36** [x1] Mounted plunger
- 37** [x1] Seeger
- 38** [x1] Gasket
- 39** [x1] Gasket
- 1007-40** [x1] Spring
- 1007-42** [x1] Mounted hand wheel
- 1007-43** [x1] Mounted valve
- 1007-46-X** [x1] Stainless steel gasket kit
- 1007-47** [x1] Gasket kit
- 1007-101** [x1] Plunger
- B** [x2] Gasket
- G** [x1] Gasket
- 1008-G16-X** [x1] Body with internal bushing in stainless steel, regulating valves and bracket block
- L** [x2] Gasket
- N** [x2] Gasket
- 1007-R1-X** [x3] Stainless steel junction

mod. BP-XC





NOTES



The head protection stopper is also available as a spare part. You can refer to the CNN table below for compatible heads for your model.

COMPATIBLE CNN

Cap-Nozzle-Needle

mod. BP, BP-X



| 1007-30-KI | CAP | NOZZLE | NEEDLE |
|--|----------------|------------|-------------|
|   | 1007-30-KI-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-KI-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-KI-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-KI-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-KI-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-KI-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-KI-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-KI-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| | 1007-30-KI-3.0 | 1007-2-3.0 | 1056-31-3.0 |



| 1007-30-ZI | CAP | NOZZLE | NEEDLE |
|--|----------------|------------|-------------|
|   | 1007-30-ZI-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-ZI-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-ZI-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-ZI-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-ZI-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-ZI-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-ZI-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-ZI-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| | 1007-30-ZI-3.0 | 1007-2-3.0 | 1056-31-3.0 |

COMPATIBLE CNN

Cap-Nozzle-Needle

mod. BP, BP-X



| 1007-30-WI | CAP | NOZZLE | NEEDLE |
|--|----------------|-------------|-------------|
|   | 1007-30-WI-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-WI-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-WI-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-WI-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-WI-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-WI-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-WI-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-WI-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| 1007-30-WI-3.0 | 1007-2-3.0 | 1056-31-3.0 | |



| 1007-30-NI | CAP | NOZZLE | NEEDLE |
|--|----------------|-------------|-------------|
|   | 1007-30-NI-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-NI-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-NI-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-NI-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-NI-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-NI-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-NI-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-NI-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| 1007-30-NI-3.0 | 1007-2-3.0 | 1056-31-3.0 | |

COMPATIBLE CNN

Cap-Nozzle-Needle

mod. BP, BP-X

| 1007-30-TI | CAP | NOZZLE | NEEDLE |
|--|----------------|------------|-------------|
|   | 1007-30-TI-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-TI-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-TI-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-TI-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-TI-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-TI-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-TI-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-TI-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| | 1007-30-TI-3.0 | 1007-2-3.0 | 1056-31-3.0 |



| 1007-30-UI * | CAP | NOZZLE | NEEDLE |
|--|----------------|--------------|---------------|
|   | 1007-30-UI-0.8 | 1007-2-U-0.8 | 1056-31-U-0.8 |
| | 1007-30-UI-1.0 | 1007-2-U-1.0 | 1056-31-U-1.0 |
| | 1007-30-UI-1.2 | 1007-2-U-1.2 | 1056-31-U-1.2 |
| | 1007-30-UI-1.5 | 1007-2-U-1.5 | 1056-31-U-1.5 |
| | 1007-30-UI-1.8 | 1007-2-U-1.8 | 1056-31-U-1.8 |
| | 1007-30-UI-2.0 | 1007-2-U-2.0 | 1056-31-U-2.0 |
| | 1007-30-UI-2.2 | 1007-2-U-2.2 | 1056-31-U-2.2 |
| | 1007-30-UI-2.5 | 1007-2-U-2.5 | 1056-31-U-2.5 |
| | 1007-30-UI-3.0 | 1007-2-U-3.0 | 1056-31-U-3.0 |

* self-cleaning



COMPATIBLE CNN

Cap-Nozzle-Needle

mod. BP, BP-X

| 1007-30-SF | CAP | NOZZLE | NEEDLE |
|--|----------------|------------|-------------|
|   | 1007-30-SF-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-SF-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-SF-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-SF-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-SF-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-SF-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-SF-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-SF-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| | 1007-30-SF-3.0 | 1007-2-3.0 | 1056-31-3.0 |



mod. BP-XC



| 1007-30-SFX | CAP | NOZZLE | NEEDLE |
|--|-----------------|------------|-------------|
|   | 1007-30-SFX-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-SFX-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-SFX-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-SFX-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-SFX-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-SFX-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-SFX-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-SFX-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| | 1007-30-SFX-3.0 | 1007-2-3.0 | 1056-31-3.0 |

COMPATIBLE CNN

Cap-Nozzle-Needle

mod. BP-XC

| 1007-30-KX | CAP | NOZZLE | NEEDLE |
|--|----------------|-------------|-------------|
|   | 1007-30-KX-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-KX-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-KX-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-KX-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-KX-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-KX-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-KX-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-KX-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| 1007-30-KX-3.0 | 1007-2-3.0 | 1056-31-3.0 | |

| 1007-30-ZX | CAP | NOZZLE | NEEDLE |
|--|----------------|-------------|-------------|
|   | 1007-30-ZX-0.8 | 1007-2-0.8 | 1056-31-0.8 |
| | 1007-30-ZX-1.0 | 1007-2-1.0 | 1056-31-1.0 |
| | 1007-30-ZX-1.2 | 1007-2-1.2 | 1056-31-1.2 |
| | 1007-30-ZX-1.5 | 1007-2-1.5 | 1056-31-1.5 |
| | 1007-30-ZX-1.8 | 1007-2-1.8 | 1056-31-1.8 |
| | 1007-30-ZX-2.0 | 1007-2-2.0 | 1056-31-2.0 |
| | 1007-30-ZX-2.2 | 1007-2-2.2 | 1056-31-2.2 |
| | 1007-30-ZX-2.5 | 1007-2-2.5 | 1056-31-2.5 |
| 1007-30-ZX-3.0 | 1007-2-3.0 | 1056-31-3.0 | |

CERTIFIED QUALITY

CERTIFICATIONS

All AIRCOM® products are certified according to norm EN 13 966 - 1 (VDMA-Einheitsblatt 24 366) and therefore also according to transfer efficiency parameters.



THREE-COLOR INSERT

Each gun is marked with a three-color three-dimensional seal. It represents an additional guarantee of authenticity and Italianity because it is present exclusively in original AIRCOM® guns.



SUPPORT

DO YOU NEED HELP?

We are at your disposal.



+39 0124 5154 44



aircom@aircom.it



Online support



DISCOVER ALL PRODUCTS



Follow us



aircom.it